

## Organoloc PM-100<sup>®</sup>

**Application:** Granular Contaminated Water Treatment Media

**Grade:** Granular

### TYPICAL ANALYSIS

<b>General Description</b>	Granular filtration media comprising a proprietary blend of active sorbent and anthracite filter media
<b>Functional Use</b>	The adsorption of low-solubility organics, oils and greases from contaminated groundwater and wastewater. Suitable for use in a range of applications including PRBs (Permeable Reactive Barriers) and contained systems
<b>Features &amp; Benefits</b>	
<b>Granular Product</b>	<ul style="list-style-type: none"> <li>• Non-reactive, non-hazardous</li> <li>• Easier containment for simple clean out</li> </ul>
<b>Consistent Results</b>	<ul style="list-style-type: none"> <li>• Can accommodate surges in organic concentration</li> <li>• Unique sorption mechanism eliminates blinding and maintains flow rates</li> </ul>
<b>Cost Effective</b>	<ul style="list-style-type: none"> <li>• Can adsorb up to 60% of its weight in oil and other high molecular weight organics</li> <li>• Extends the life and adsorbency of GAC</li> <li>• Exclusive sorbency of organics. The capacity and granular integrity of PM-100<sup>®</sup> will not be modified by the through-flow of water</li> </ul>
<b>Versatile Technology</b>	<ul style="list-style-type: none"> <li>• Removes dissolved, mechanically emulsified, and free oil from wastewater.</li> <li>• Easily adapted in general filtration systems</li> <li>• Can be applied as a fixed-bed media or removable cartridge</li> </ul>
<b>Packaging</b>	Multi-wall paper bags (25 kg), or bulk

The information and data contained herein are believed to be accurate and reliable. AMCOL Specialty Minerals makes no warranty of any kind and accepts no responsibility for the results obtained through application of this information.